

**Allectra Limited US Dollar \$ Price List****January 2007**

<b>PAGE</b>	<b>Size</b>	<b>Description</b>	<b>Part Number</b>	<b>Price \$</b>
4	9	Sub-D Feedthrough 9 Pin on DN40CF Flange	210-D09-CF40	<b>295.00</b>
4	15	Sub-D Feedthrough 15 Pin on DN40CF Flange	210-D15-CF40	<b>385.00</b>
4	15	Sub-D Feedthrough 15 Pin on DN63CF Flange	210-D15-CF63	<b>442.00</b>
4	25	Sub-D Feedthrough 25 Pin on DN40CF Flange	210-D25-CF40	<b>478.00</b>
4	25	Sub-D Feedthrough 25 Pin on DN63CF Flange	210-D25-CF63	<b>478.00</b>
4	2x25	2 off Sub-D Feedthroughs 25 Pin on DN63CF Flange	210-D25-CF63-2	<b>834.00</b>
4	37	Sub-D Feedthrough 37 Pin on DN63CF Flange	210-D37-CF63	<b>594.00</b>
4	37	Sub-D Feedthrough 37 Pin on DN100CF Flange	210-D37-CF100	<b>597.00</b>
4	50	Sub-D Feedthrough 50 Pin on DN63CF Flange	210-D50-CF63	<b>622.00</b>
4	50	Sub-D Feedthrough 50 Pin on DN100CF Flange	210-D50-CF100	<b>622.00</b>
4				-
4	9	Sub-D Feedthrough 9 Pin on DN25KF Flange	210-D09-KF25	<b>343.00</b>
4	9	Sub-D Feedthrough 9 Pin on DN40KF Flange	210-D09-KF40	<b>295.00</b>
4	15	Sub-D Feedthrough 15 Pin on DN40KF Flange	210-D15-KF40	<b>385.00</b>
4	15	Sub-D Feedthrough 15 Pin on DN50KF Flange	210-D15-KF50	<b>406.00</b>
4	25	Sub-D Feedthrough 25 Pin on DN63ISO-K Flange	210-D25-ISO63	<b>478.00</b>
4	37	Sub-D Feedthrough 37 Pin on DN100 ISO-K Flange	210-D37-ISO100	<b>597.00</b>
4	50	Sub-D Feedthrough 50 Pin on DN100ISO-K Flange	210-D50-ISO100	<b>622.00</b>
4		Sub-D Feedthrough 25 Pin on DN50KF	210-D25-KF50	<b>478.00</b>
5	9	Sub-D Socket, Female, , 9 Pins ,	211-FS09-HV	<b>64.00</b>
5	9	Sub-D Socket, Female, 9 Pins , SMALL	211-FS09-HV-S	<b>64.00</b>
5	15	Sub-D Socket, Female, , 15 Pins	211-FS15-HV	<b>68.00</b>
5	15	Sub-D Socket, Female, 15 Pins , SMALL	211-FS15-HV-S	<b>68.00</b>

5	25	Sub-D Socket, Female, 25 Pins	211-FS25-HV	<b>78.00</b>
5	25	Sub-D Socket, Female, 25 Pins, SMALL	211-FS25-HV-S	<b>78.00</b>
5	37	Sub-D Socket, Female, 37 Pins	211-FS37-HV	<b>97.00</b>
5	37	Sub-D Socket, Female, 37 Pins, SMALL	211-FS37-HV-S	<b>97.00</b>
5	50	Sub-D Socket, Female, 50 Pins	211-FS50-HV	<b>112.00</b>
5				-
5	9	Sub-D Plug, Male 9 Pins	211-MS09-HV	<b>49.00</b>
5	15	Sub-D Plug, Male 15 Pins	211-MS15-HV	<b>57.00</b>
5	25	Sub-D Plug, Male 25 Pins	211-MS25-HV	<b>60.00</b>
5	37	Sub-D Plug, Male 37 Pins	211-MS37-HV	<b>71.00</b>
5	50	Sub-D Plug, Male 50 Pins	211-MS50-HV	<b>72.00</b>
5				-
5	9	Metal Housing Nickel Plated for HV Sub-D Plugs & Sockets 9-Pin	211-HOUSING-D09	<b>19.50</b>
5	15	Metal Housing Nickel Plated for HV Sub-D Plugs & Sockets 15-Pin	211-HOUSING-D15	<b>23.00</b>
5	25	Metal Housing Nickel Plated for HV Sub-D Plugs & Sockets 25-Pin	211-HOUSING-D25	<b>27.00</b>
5				-
5	9	Sub-D Socket, Female, 9 Pins	211-FS09-AIR	<b>10.40</b>
5	15	Sub-D Socket, Female, 15 Pins	211-FS015-AIR	<b>11.70</b>
5	25	Sub-D Socket, Female, 25 Pins	211-FS25-AIR	<b>13.00</b>
5	37	Sub-D Socket, Female, 37 Pins	211-FS37-AIR	<b>18.20</b>
5	50	Sub-D Socket, Female, 50 Pins	211-FS50-AIR	<b>19.50</b>
<b>NEW</b>		<b>9 way Sub-D Socket UHV PEEK</b>	<b>211-FS09-PK</b>	<b>144.00</b>
<b>NEW</b>		<b>15 way Sub-D Socket UHV PEEK</b>	<b>211-FS15-PK</b>	<b>169.00</b>
<b>NEW</b>		<b>25 way Sub-D Socket UHV PEEK</b>	<b>211-FS25-PK</b>	<b>178.00</b>
<b>NEW</b>		<b>37 way Sub-D Socket UHV PEEK</b>	<b>211-FS37-PK</b>	<b>201.00</b>
<b>NEW</b>		<b>50 way Sub-D Socket UHV PEEK</b>	<b>211-FS50-PK</b>	<b>213.00</b>

<b>NEW</b>		<b>9 way Sub-D plug UHV PEEK</b>	<b>211-MS09-PK</b>	<b>144.00</b>
<b>NEW</b>		<b>15 way Sub-D plug UHV PEEK</b>	<b>211-MS15-PK</b>	<b>169.00</b>
<b>NEW</b>		<b>25 way Sub-D plug UHV PEEK</b>	<b>211-MS25-PK</b>	<b>178.00</b>
<b>NEW</b>		<b>37 way Sub-D plug UHV PEEK</b>	<b>211-MS-37-PK</b>	<b>201.00</b>
<b>NEW</b>		<b>50 way Sub-D plug UHV PEEK</b>	<b>211-MS-50-PK</b>	<b>213.00</b>
6	9	Sub-D Socket, female, UHV Type, Glass Ceramic for 9 Pins	211-FS09-UHV	<b>198.00</b>
6	15	Sub-D Socket, female, UHV Type Glass Ceramic for 15 Pins	211-FS15-UHV	<b>230.00</b>
6	25	Sub-D Socket, female, UHV Type Glass Ceramic for 25 Pins	211-FS25-UHV	<b>245.00</b>
6	25 small	Sub-D Socket ,female, Special type for 25 Pins on 40CF	211-FS25S-UHV	<b>267.00</b>
6	37	Sub-D Socket, female, UHV Type, Glass Ceramic for 37 Pins	211-FS37-UHV	<b>282.00</b>
6	50	Sub-D Socket, female, UHV Type, Glass Ceramic for 50 Pins	211-FS50-UHV	<b>294.00</b>
6	9	Sub-D Plug, male, UHV ,for 9 Pins	211-MS09-UHV	<b>215.00</b>
6	15	Sub-D Plug, male, UHV ,for 15 Pins	211-MS15-UHV	<b>250.00</b>
6	25	Sub-D Plug, male, UHV ,for 25 Pins	211-MS25-UHV	<b>265.00</b>
6	37	Sub-D Plug, male, UHV ,for 37 Pins	211-MS37-UHV	
6	50	Sub-D Plug, male, UHV ,for 50 Pins	211-MS50-UHV	
6	Std	Standard Crimp Pins, female for UHV and HV	212-PINF-10	<b>16.00</b>
6	Std	Standard Crimp Pins, female for UHV and HV	212-PINF-25	<b>29.90</b>
6	""B""	Budget Crimp Pins, female for UHV and HV	212-PINF-10-B	<b>10.80</b>
6	""B""	Budget Crimp Pins, female for UHV and HV	212-PINF-25-B	<b>21.60</b>
6	""S""	„Small“ Crimp Pins, female for UHV and HV	212-PINF-10-S	<b>16.90</b>
6	""S""	„Small“ Crimp Pins, female for UHV and HV	212-PINF-25-S	<b>32.50</b>

6		Crimp Pins for Sub-D Plugs, male, UHV und HV	212-PINM-10	<b>9.00</b>
6	Std	Crimp Pins for Sub-D Plugs, male, UHV und HV	212-PINM-25	<b>18.00</b>
6	Std	„Small“ Crimp Pins for Sub-D Plugs, male, UHV und HV	212-PINM-10-S	<b>11.00</b>
6	""S""		212-PINM-25-S	<b>21.00</b>
7	K	D Socket, female, Type K , 5 Pairs (Chromel and Alumel)	213-PINF-K	<b>51.00</b>
7	K	D Plug, male, Type K , 5 Pairs (Chromel and Alumel)	213-PINM-K	<b>51.00</b>
7				-
7		Crimp Pins, ohne Positionierhilfe, nicht für ""S""- Versionen	214-CTOOL	<b>257.00</b>
7		Crimp Tool for HV und UHV Sub-D Crimp Pins, mit Positionierer	214-CTOOL-HQ	<b>550.00</b>
7		Crimp Tool (Pliers) for Thermocouple Pins	214-CTOOL-TC	<b>32.00</b>
7		Demounting Tool for Crimp Pins (for use only with HV Sockets)	214-CRIMPINS	<b>33.00</b>
7				-
7	9	Sub-D Adaptor, female to female, for Air Side 9-Pin Feedthrough	211-D9-ADAPT	<b>9.10</b>
7	15	Sub-D Adaptor, female to female, for Air Side 15-Pin Feedthrough	211-D15-ADAPT	<b>12.00</b>
7	25	Sub-D Adaptor, female to female, for Air Side 25-Pin Feedthrough	211-D25-ADAPT	<b>13.00</b>
7	37	Sub-D Adaptor, female to female, for Air Side 37-Pin Feedthrough	211-D37-ADAPT	<b>17.00</b>
8	-	BNC Feedthrough, weldable, 50 Ohm, max. 100MHz	241-BNC50	<b>150.00</b>
8	16CF	BNC Feedthrough on DN16CF, 50 Ohm, max. 100MHz	241-BNC50-C16	<b>208.00</b>
8	40CF	BNC Feedthrough , 2 Pins, on DN40CF, 50 Ohm, max. 100MHz	241-BNC50-C40-2	<b>391.00</b>
8				-
8	-	BNC Feedthrough Floating Shield, weldable, 50 Ohm, max. 100MHz, ø16.5mm	241-BNCF50	<b>253.00</b>
8	16CF	BNC Feedthrough Floating Shield, DN16CF, 50 Ohm, max. 100MHz	241-BNCF50-C16	<b>288.00</b>
8				-

8	-	BNC Feedthrough Floating Shield, weldable, 50 Ohm, max. 4 GHz, double sided, 16.5mm Ø	241-BNCDF50	<b>378.00</b>
8	16CF	BNC Feedthrough Floating Shield, DN16CF, 50 Ohm, max. 4 GHz, double sided	241-BNCDF50-C16	<b>478.00</b>
8	40CF	BNC Feedthrough Floating Shield, DN40CF, 50 Ohm, max. 4 GHz, double sided	241-BNCDF50-C40	<b>482.00</b>
8	40CF	DN40CF with 2x BNC Feedthroughs, Floating Shield, 50 Ohm, max. 4 GHz, double sided	241-BNCDF50-C40-2	<b>845.00</b>
				-
				-
9	-	SMA Feedthrough, weldable, 50 Ohm, max. 6.5GHz, 1000V 3A	242-SMA50	<b>265.00</b>
9	16CF	SMA Feedthrough on DN16CF, 50 Ohm	242-SMA50-C16	<b>343.00</b>
9	40CF	SMA Feedthrough on DN40CF, 50 Ohm	242-SMA50-C40	<b>351.00</b>
9	40CF	2x SMA Feedthrough on DN40CF, 50 Ohm	242-SMA50-C40-2	<b>632.00</b>
9	-	weldable, 50 Ohm, max. 6.5GHz, 1000V 3A	242-SMAD50	<b>356.00</b>
9	16CF	SMA Feedthrough , double sided on DN16CF	242-SMAD50-C16	<b>453.00</b>
9	40CF	SMA Feedthrough , double sided on DN40CF	242-SMAD50-C40	<b>485.00</b>
9	40CF	2x SMA Feedthrough , double sided on DN40CF	242-SMAD50-C40-2	<b>880.00</b>
9	-	Floating Shield, weldable, 50 Ohm, max. 6.5GHz, 1000V 3A	242-SMADF50	<b>474.00</b>
9	16CF	SMA Feedthrough , double sided, Floating Shield, on DN16CF	242-SMADF50-C16	<b>572.00</b>
9	40CF	SMA Feedthrough , double sided, Floating Shield, on DN40CF	242-SMADF50-C40	<b>581.00</b>
9	40CF	2x SMA Feedthrough , double sided, Floating Shield, on DN40CF	242-SMADF50-C40-2	<b>1,055.00</b>
9	40CF	3x SMA Feedthrough , double sided, Floating Shield, on DN40CF	242-SMADF50-C40-3	<b>1,570.00</b>
9				-
9	Vacuum	SMA Socket gold plated with Teflon isolation	245-CON-SMA	<b>55.00</b>
9	Vacuum	<b>SMA Socket gold plated with ceramic isolation NOT 50 OHM</b>	245-CON-SMA-CER	<b>89.00</b>
9	Vacuum	SMA Plug gold plated with Teflon isolation	245-CON-SMA-F	<b>66.00</b>
9	Air	SMA Socket air side for RG174 cable	245-CON-SMA-AIR	<b>13.00</b>
9	Air	SMA Socket air side for RG58 cable	245-CON-SMA-AIR58	<b>13.00</b>

9	Air	Adaptor BNC to SMA	245-ADAPT-BNC-SMA	<b>19.50</b>
25	Single	Copper Wire 0.1mm ø, Kapton Isol.	311-KAP-010-5m	<b>124.00</b>
25	Single	Copper Wire 0.14mm ø, Kapton Isol.	311-KAP-014	<b>157.00</b>
25	Single	Copper Wire 0.25mm ø, Kapton Isol.	311-KAP-025	<b>84.00</b>
25	Single	Copper Wire 0.6mm ø, Kapton Isol.	311-KAP-060	<b>89.00</b>
25	Single	Copper Wire 1.0mm ø, Kapton Isol.	311-KAP-100	<b>105.00</b>
			311-KAP-130-5m	<b>67.00</b>
25	Single	Copper Wire 1.7mm ø, Kapton Isol.	311-KAP-170-5m	<b>126.00</b>
25	Single Silvered	Kapton Wire Silver Plated Copper 0.25mm , ""CABURN UHV"" Type	311-KAP1	<b>58.00</b>
25	Single Silvered	Kapton Wire Silver Plated Copper 0.6mm , ""CABURN UHV"" Type	311-KAP2	<b>68.00</b>
25	Multi-	strand 7x 0.08mm, 600V, Silver Plated Copper	311-KAPM-025	<b>105.00</b>
25	Multi-	strand 7x 0.12mm, 600V, Silver Plated Copper	311-KAPM-035	<b>102.00</b>
25	Multi-	strand 19x 0.12mm, 600V, Silver Plated Copper	311-KAPM-060	<b>123.00</b>
25	Multi-	strand 19x 0.2mm , 600V, Silver Plated Copper	311-KAPM-100	<b>140.00</b>
25				-
25	Coax	Cable, Multi-strand, 19x 0.12mm, 600V, Conductor and Shield Silver Plated	311-KAPM-060-COAX	<b>164.00</b>
25	Coax	Highly flexible Kapton Coax Cable, Multi-strand 7x 0.08mm ,Shielded, Shield not insulated	311-KAPM-025-SHIELD	<b>127.00</b>
25	50ohm	50 Ohm Coaxial-Kapton Cable, 5m long	311-KAP50	<b>180.00</b>
25	50ohm	50 Ohm Coaxial-Kapton Cable, 1m long	311-KAP50-1	<b>58.50</b>
25				-
25	1 Pair	strand Wwires 19x 0.1mm , Conductor and Shied Silver Plated	311-KAPM-060-PAIR1	<b>134.00</b>
25	2 Pairs	Conductor and Shield Silver Plated	311-KAPM-060-PAIR2	<b>205.00</b>
25				-
25	10 Way	0.12mm, 600V, Silver Plated Copper	311-KAP-RIB10-1000	<b>90.00</b>

25	15 Way	0.12mm, 600V, Silver Plated Copper	311-KAP-RIB15-1000	<b>115.00</b>
25	25 Way	Copper, (one 15 way + one 10way)	311-KAP-RIB25-1000	<b>190.00</b>
26	K	Kapton isolated Thermocouple Type K 0.25mm	312-KAP-TCK	<b>39.00</b>
26	K	Kapton isolated Thermocouple Type K 0.25mm	312-KAP-TCK-5m	<b>166.00</b>
26	K	Kapton isolated Thermocouple Type K 0.25mm	312-KAP-TCK-10m	<b>312.00</b>
26	K	Teflon isolated Thermocouple, 0.5mm braid	312-PTFE-TCK	<b>34.00</b>
26	K	Teflon isolated Thermocouple, 0.5mm braid	312-PTFE-TCK-5m	<b>135.00</b>
26	K	Teflon isolated Thermocouple, 0.5mm braid	312-PTFE-TCK-10m	<b>244.00</b>
26	N	Kapton isolated Thermocouple Type N 0.25mm	312-KAP-TCN	<b>39.00</b>
26	N	Kapton isolated Thermocouple Type N 0.25mm	312-KAP-TCN-5m	<b>166.00</b>
26	N	Kapton isolated Thermocouple Type N 0.25mm	312-KAP-TCN-10m	<b>312.00</b>
26				-
26	K	Bare Thermocouple Wires Type K 0.25mm, per 1 Meter	313-TCK-025	<b>13.00</b>
26	N	Bare Thermocouple Wires Type N 0.25mm, per 1 Meter	313-TCN-025	<b>15.00</b>
26	C	thermocouple No Extension Grade Material	313-TCC-013	<b>Por</b>
26	C	Thermocouple, No Extension Grade Material	313-TCC-025	<b>Por</b>
26	R	Thermocouple , No Extension Grade Material	313-TCR-013	<b>Por</b>
26	R	Thermocouple , No Extension Grade Material	313-TCR-025	<b>Por</b>
26	S	Thermocouple , No Extension Grade Material	313-TCS-013	<b>Por</b>
26	S	Thermocouple , No Extension Grade Material	313-TCS-025	<b>Por</b>
26				-
26				-
26		Wire, 0.08mm Diameter, 0.24mm Outer Diameter, 5m long	312-PTFE-008-KON	<b>110.00</b>
26				-
26		PEEK Cylinder, 10mm Diameter, 145mm long, max. 250°C	351-PEEK-10D	<b>45.00</b>

26		PEEK Cylinder, 20mm Diameter, 145mm long, max. 250°C	351-PEEK-20D	120.00
26		PEEK Plate, 10 x 50 x 245mm, max. 250°C	351-PEEK-10x50	257.00
				-
27	In-line Screw-on	max. 1.5mm, 12,5mm long, Pack of 10	360-PIC-1.5	73.00
27	In-line Screw-on	max. 1.8mm, 12,5mm long, Pack of 10	360-PIC-1.8	73.00
27	In-line Screw-on	max. 3.0mm, 12,5mm long, Pack of 10	360-PIC-3.0	73.00
27	In-line Screw-on	max. 6.6mm, 12,5mm long, Pack of 10	360-PIC-6.6	124.00
27				-
27	Push-on	Pack of 10, including key, Cable- Ø 1.25mm max.	360-PPO-1.3	67.00
27	Push-on	Pack of 10, including key, Cable- Ø 1.25mm max.	360-PPO-2.4	67.00
27	Push-on	Push-on Socket for 4mm Pins, Pack of 5, including nuts and washers	360-PPO-4	49.00
27				-
27	Female	0.5	360-CRF-05-10	52.00
27	Female	0.75	360-CRF-07-10	52.00
27	Male	0.75	360-CRM-07-10	20.00
27	Female	1,3- 1,5	360-CRIMP-1.3	50.00
27	Male	1.45	360-CRIMP-1.3-M	28.00
27	Female	2,3- 2,4	360-CRIMP-2.4	50.00
27				-
27		Thermocouple-Crimps Alumel (-)	361-TCRIMP-AL	76.00
27		Thermocouple-Crimps, Chromel (+)	361-TCRIMP-CR	76.00
				-
				-
28	HV	Kapton Heater Foil, 25.4 x 25.4mm ca. 78 Ohm, max. 30W	317-KAPH-1/1	114.00
28	HV	<b>39 OHM</b>	<b>317-KAPH-1/2</b>	<b>120.00</b>
28	HV	<b>185 OHM</b>	<b>317-KAPH-2/2</b>	<b>136.00</b>
28	HV	Kapton Heater Foil, 102 x 102mm ca. 43 Ohm, max. 490W	317-KAPH-4/4	241.00

28				-
28	UHV	Ceramic Heater -40°... 500°C, 9.5 x 2mm, 6.8 Ohm, max. 2A	343-HEATER-2x10	67.00
28				-
28		adjustable in 6 Steps (AWG 36 - 26)	321-STRIP04	58.00
28		adjustable in 6 Steps (AWG 28 - 18)	321-STRIP10	58.00
28				-
28		4-Chuck Crimp Tool	214-CTOOL	257.00
28		4 Pin Crimp Tool with Positioner	214-CTOOL-HQ	550.00
28		Simple Crimp Pliers	214-CTOOL-TC	32.00
28		Crimp Tool for the Outer Conductor of SMA Sockets	321-CTOOL-SMA	282.00
28				-
29	SMA	50 Ohm Kapton Cable with 1x SMA Plug, open end	380-SMA-MX-500	130.00
29	SMA	50 Ohm Kapton Cable with 1x SMA Plug, open end	380-SMA-MX-1000	156.00
29	SMA	50 Ohm Kapton Cable with 2x SMA Plugs	380-SMA-MM-500	212.00
29	SMA	51 Ohm Kapton Cable with 2x SMA Plugs	380-SMA-MM-1000	237.00
29	SMA	50 Ohm Kapton Cable with 1x SMA Plug, 1x SMA Socket	380-SMA-MF-500	225.00
29	SMA	51 Ohm Kapton Cable with 1x SMA Plug, 1x SMA Socket	380-SMA-MF-1000	250.00
<b>NEW</b>	<b>SMA</b>	<b>SMA cable extension by 0,5m</b>	<b>380-SMA-EXT05</b>	
29				-
29	BNC/ MHV	Cable fits to 241-BNC and 241-MHV Feedthroughs	380-BNC-500	280.00
29	BNC/ MHV	Cable fits to 241-BNC and 241-MHV Feedthroughs	380-BNC-1000	300.00
29	TRIAX/ BNCF	Cable fits to 243-TRIAX und anderen 17.3mm Feedthroughs	380-BNCF-500	280.00
29	TRIAX/ BNCF	Cable fits to 243-TRIAX und anderen 17.3mm Feedthroughs	380-BNCF-1000	300.00
29				-
29	9	HV Sub-D Socket, 500mm Cable	380-D9FXHR-500	190.00
29	15	HV Sub-D Socket, 500mm Cable	380-D15FXHR-500	237.00
29	25	HV Sub-D Socket, 500mm Cable	380-D25-FXHR-500	305.00

29	37	HV Sub-D Socket, 500mm Cable	380-D37-FXHR-500	<b>458.00</b>
29	50	HV Sub-D Socket, 500mm Cable	380-D50-FXHR-500	<b>557.00</b>
29				-
29	9	UHV Sub-D Stecker mit 500mm Kabel	380-D9FXUR-500	<b>352.00</b>
29	15	UHV Sub-D Stecker mit 500mm Kabel	380-D15FXUR-500	<b>437.00</b>
29	25	UHV Sub-D Stecker mit 500mm Kabel	380-D25-FXUR-500	<b>529.00</b>
29	37	UHV Sub-D Stecker mit 500mm Kabel	380-D37-FXUR-500	<b>704.00</b>
29	50	UHV Sub-D Stecker mit 500mm Kabel	380-D50-FXUR-500	<b>833.00</b>
29				-
29	9	UHV Sub-D Socket ,PEEK 500mm	380-D9FXPR-500	<b>298.00</b>
29	15	UHV Sub-D Socket ,PEEK 500mm	380-D15FXPR-500	<b>376.00</b>
29	25	UHV Sub-D Socket ,PEEK 500mm	380-D25-FXPR-500	<b>446.00</b>
29	37	UHV Sub-D Socket ,PEEK 500mm	380-D37-FXPR-500	<b>629.00</b>
29	50	UHV Sub-D Socket ,PEEK 500mm	380-D50-FXPR-500	<b>730.00</b>
29		Ribbon cable extension by 500mm, 9-pin	380-EXT-09	<b>Por</b>
29		Ribbon cable extension by 500mm, 15-pin	380-EXT-15	<b>Por</b>
29		Ribbon cable extension by 500mm, 25-pin	380-EXT-25	<b>Por</b>
NEW		Ribbon cable extension by 500mm, 37-pin	380-EXT-37	<b>Por</b>
NEW		Ribbon cable extension by 500mm, 50-pin	380-EXT-50	<b>Por</b>
new		15-Pin Sub-D PEEK cable female-female 0.5m	380-D15-FFPR-500	<b>676.00</b>
new		15-Pin Sub-D UHV Kabel	380-D15-FFUR-1000	<b>820.30</b>
new		15-Pin Sub-D PEEK cable female-male 0.5m	380-D15-FMPR-500	<b>695.50</b>
new		UHV Ribbon cable with 15-pin Plugs male-female	380-D15-FMUR-1000	<b>811.20</b>
new		UHV Ribbon cable with 15-pin Plugs male-female	380-D15-FMUR-1800	<b>924.30</b>
new		15-Pin Sub-D HV female con. with 0.5m ribbon cable	380-D15-FXHR-500	<b>231.40</b>

new		15-Pin Sub-D UHV Kabel	380-D15-FXPR-500	<b>366.60</b>
new		15-Pin Sub-D UHV Kabel	380-D15-FXUR-500	<b>426.40</b>
new		25-Pin Sub-D PEEK cable female- female 0.5m	380-D25-FFPR-500	<b>850.20</b>
new		25-Pin Sub-D CERAMIC cable female-female 0.5m	380-D25-FFUR-500	<b>993.20</b>
new		15-Pin Sub-D HV female con. with 0.5m ribbon cable	380-D25-FXHR-500	<b>297.70</b>
new		25-Pin Sub-D PEEK female con. with 0.5m ribbon cable	380-D25-FXPR-500	<b>435.50</b>
new		25-Pin SMALL Sub-D CERAMIC cable female 0.5m	380-D25S-FXUR-500	<b>570.70</b>
new		37-Pin Sub-D PEEK cable female- female 0.5m	380-D37-FFPR-500	<b>1,090.70</b>
new		37-Pin Sub-D PEEK socket with 0.5m ribbon cable	380-D37-FXPR-500	<b>613.60</b>
new		50-Pin Sub-D PEEK socket with 0.5m ribbon cable	380-D50-FXPR-500	<b>712.40</b>
new		9-Pin Sub-D PEEK cable female- female 0.5m	380-D9-FFPR-500	<b>543.40</b>
new		9-Pin Sub-D PEEK cable female- male 0.5m	380-D9-FMPR-500	<b>552.50</b>
new		UHV Ribbon cable with 9-pin Plugs male-female	380-D9-FMUR-1500	<b>703.30</b>
new		UHV Ribbon cable with 9-pin Plugs male-female	380-D9-FMUR-500	<b>607.10</b>
new		9-Pin Sub-D HV female con. with 0.5m twisted pair cable	380-D9-FXHP2-500	<b>257.40</b>
new		9-Pin Sub-D HV female con. with 0.5m ribbon cable	380-D9-FXHR-500	<b>185.90</b>
new		9-Pin Sub-D PEEK socket with 0.5m ribbon cable	380-D9-FXPR-500	<b>291.20</b>
new		9-Pin Sub-D UHV socket with 0.5m ribbon cable	380-D9-FXUR-500	<b>343.20</b>
33	UV	Fibre Optic Cable , Metallised	151-FOC-UV-300-S	<b>689.00</b>
33	UV	Fibre Optic Cable , Metallised	151-FOC-UV-600-S	<b>734.00</b>
33	UV	Fibre Optic Cable , Metallised	151-FOC-UV-900-S	<b>780.00</b>
33	IR	Fibre Optic Cable , Metallised	151-FOC-IR-300-S	<b>689.00</b>
33	IR	Fibre Optic Cable , Metallised	151-FOC-IR-600-S	<b>734.00</b>
33	IR	Fibre Optic Cable , Metallised	151-FOC-IR-900-S	<b>780.00</b>
33				-
33	16CF	UHV Feedthrough for UV Fibre	150-FFT-UV-C16	<b>815.00</b>

33	40CF	UHV Feedthrough for UV Fibre	150-FFT-UV-C40	<b>832.00</b>
33	16KF	UHV Feedthrough for UV Fibre	150-FFT-UV-K16	<b>815.00</b>
33	40KF	UHV Feedthrough for UV Fibre	150-FFT-UV-K40	<b>832.00</b>
33				-
33	16CF	UHV Feedthrough for IR Fibre	150-FFT-IR-C16	<b>815.00</b>
33	40CF	UHV Feedthrough for IR Fibre	150-FFT-IR-C40	<b>832.00</b>
33	16KF	UHV Feedthrough for IR Fibre	150-FFT-IR-K16	<b>815.00</b>
33	40KF	UHV Feedthrough for IR Fibre	150-FFT-IR-K40	<b>832.00</b>
33				-
33		UHV F-SMA Fibre Coupler	151-FC-UHV	<b>43.00</b>
33				-
33		Air Use F-SMA Fibre Coupler	151-FC-AIR	<b>36.00</b>
<b>NEW</b>	<b>KF16</b>	<b>FIBRE COUPLER FEEDTHROUGH</b>	<b>152-FCF-K16</b>	<b>230.00</b>
<b>NEW</b>	<b>KF40</b>		<b>152-FCF-K40</b>	<b>230.00</b>
<b>NEW</b>	<b>CF16</b>	<b>CF16</b>	<b>152-FCF-C16</b>	<b>249.60</b>
<b>NEW</b>	<b>CF40</b>		<b>152-FCF-C40</b>	<b>249.60</b>
<b>NEW</b>	<b>CF40</b>	<b>4 WAY FEEDTHROUGH</b>	<b>152-FCF-C40-4</b>	<b>921.00</b>
<b>NEW</b>		<b>SPARE O RINGS 10</b>	<b>152-FCF-OB-10</b>	<b>34.56</b>
<b>NEW</b>		<b>HIGH TEMP RING</b>	<b>152-FCF-OV</b>	<b>38.40</b>
<b>NEW</b>		<b>VACUUM SIDE PLUG</b>	<b>152-FPLUG</b>	<b>48.64</b>
36	16CF	Drive, UHV, 6mm Shaft, bakeable to 250°C	611-RD-HT-C16	<b>Por</b>
36	40CF	Drive, UHV, 6mm Shaft, bakeable to 250°C	611-RD-HT-C40	<b>Por</b>
<b>36</b>	<b>16CF</b>	<b>Magnetically coupled rotary drive</b>	<b>611-MRD-C16</b>	<b>Por</b>
36	40CF	DN40CF Precision Long Rotary Drive , UHV, with 250mm long shaft	611-PRD-250-C40	<b>Por</b>
36	40CF	DN40CF Precision Long Rotary Drive , UHV, with 400mm long shaft	611-PRD-400-C40	<b>Por</b>
<b>NEW</b>	<b>CF40</b>	<b>MDC STYLE WOBBLE STICK 50MM</b>	<b>630-SWS50-C40</b>	<b>Por</b>
<b>NEW</b>	<b>CF40</b>	<b>MDC STYLE WOBBLE STICK 100MM</b>	<b>630-SWS100-C40</b>	<b>Por</b>

37	16CF	DN16CF linear drive push pull	612-LD25-PP-C16	Por
37	16CF	DN16CF linear drive push pull	612-LD50-PP-C16	Por
37	16CF	DN16CF linear drive push pull	612-LD100-PP-C16	Por
37	40CF	DN40CF linear drive manual	612-LD12-C40	Por
				Por
37	16CF	DN16F linear drive manual	<b>612-LD12-C16</b>	Por
37	16CF	DN16F linear drive manual	612-LD25-C16	Por
<b>37</b>	<b>16CF</b>	DN16F linear drive manual	<b>612-LD50-C16</b>	Por
<b>37</b>	<b>16CF</b>	DN16F linear drive manual	<b>612-LD100-C16</b>	Por
37	16CF	DN16CF Manual Linear Drive with Micrometer, UHV, 25mm Travel	612-LD25-MIC-C16	Por
37		UHV, 25mm Travel including 24V Air Cylinder	612-LD25-PM-C16	Por
37	16CF	UHV, 50mm Travel including 24V Air Cylinder	612-LD50-PM-C16	Por
37	16CF	UHV, 75mm Travel including 24V Air Cylinder	612-LD75-PM-C16	Por
37	16CF	UHV, 100mm Travel including 24V Air Cylinder	612-LD100-PM-C16	Por
37				
37		Position Indicator, 24V, (REED Contact)	614-LD-PI	Por
37		Double Shaft Version	614-LD-DD	Por
37		230V AC Air Cylinder	614-SV-230V	Por
37				
37	40CF	Linear Drive , DN40CF, 200mm Travel, DN16KF Pumping Port	613-RLD200-DP-C40	Por
<b>NEW</b>	<b>16CF</b>	<b>MINI Z SHIFTER</b>	<b>621-LT-C16-O25-MINI</b>	Por
38	40CF	Travel, Overall Length Max. & Min. 75/100mm, Through Holes	621-LT-C40-25	Por
38	40CF	Travel, Overall Length Max. & Min. 85/135mm, Through Holes	621-LT-C40-50	Por

38	40CF	Travel, Overall Length Max. & Min. 102/202mm, Through Holes	621-LT-C40-100	Por
38	40CF	Travel, Overall Length Max. & Min. 142/292mm, Through Holes	621-LT-C40-150	Por
38				
<b>38</b>	<b>63CF</b>	<b>Travel, Overall Length Max. &amp; Min. 56/106mm, Tapped Holes</b>	<b>621-LT-C63-50</b>	<b>Por</b>
<b>38</b>	<b>63CF</b>	<b>Travel, Overall Length Max. &amp; Min. 75/176mm, Tapped Holes</b>	<b>621-LT-C63-100</b>	<b>Por</b>
38				
38	40CF	X-Y, 50mm Z Travel, Micrometer for X-Y	623-CMX-C40-050	Por
38	40CF	X-Y, 100mm Z Travel, Micrometer for X-Y	623-CMX-C40-100	Por
38	40CF	X-Y, 150mm Z Travel, Micrometer for X-Y	623-CMX-C40-150	Por
38				Por
38	40CF	DN40CF Linear-Manipulator, 406mm Travel, >36mm I.D.	621-WLLT-C040-400	Por
38	63CF	DN63CF Linear-Manipulator, 305mm Travel, >63mm I.D.	621-WLLT-C063-300	Por
38	100CF	DN100CF Linear-Manipulator, 305mm Travel >100mm I.D.	621-WLLT-C100-300	Por
38				Por
38		X-Y Table +/-12.5mm Travel, DN40CF	622-XY12-C40	Por
NEW		<b>X-Y Table +/-12.5mm Travel, DN63CF</b>	<b>622-XY12-C63</b>	<b>Por</b>
NEW	500mm	<b>DN40CF Magnetic Transporter, 500mm Travel</b>	<b>615-MTP-0500</b>	<b>Por</b>
NEW	600mm	<b>DN40CF Magnetic Transporter, 600mm Travel</b>	<b>615-MTP-0600</b>	<b>Por</b>
NEW	800mm	<b>DN40CF Magnetic Transporter, 800mm Travel</b>	<b>615-MTP-0800</b>	<b>Por</b>
NEW	1000mm	<b>DN40CF Magnetic Transporter, 1000mm Travel</b>	<b>615-MTP-1000</b>	<b>Por</b>
	-	Guide Option	615-LG-OPT	Por
39	500mm	DN40CF Magnetic Transporter, 500mm Travel	615-MTP-0500UHV	Por
39	600mm	DN40CF Magnetic Transporter, 600mm Travel	615-MTP-0600UHV	Por
39	800mm	DN40CF Magnetic Transporter, 800mm Travel	615-MTP-0800UHV	Por
39	1000mm	DN40CF Magnetic Transporter, 1000mm Travel	615-MTP-1000UHV	Por

39	-	Guide Option	615-LG-OPT	Por
39				Por
39	40CF	long, 0-5°, 36mm ID, one Tapped Flange	616-PA-C40	Por
39	40CF	3mm tilt , 36mm ID, one Tapped Flange	616-PPA-C40	1,080.00
39				
39	40CF	including Gate Valve, Fast Entry Door and Viewport	640-LL40-500	Por
39	63CF	including Gate Valve, Fast Entry Door and Viewport	640-LL63-500	Por
				Por
				Por
40	32 HV	per phase, 45mNm, with rear shaft extension	671-SM32-HV-200-1,2	Por
40	32 UHV	Type K T/C ,with rear shaft extension	671-SM32-UHV200-1,2	Por
40				Por
40	32 HV	Feedthrough DN40CF, Controller, Software and external Cables	671-SM32-HV-PACK1	Por
40	32 UHV	Feedthrough DN40CF, Controller, Software and external Cables	671-SM32-UHV-PACK1	Por
43		mbar Vapour pressure at Room Temperature	330-MCOTE-296	151.00
43		2-Component UHV Glue	330-GLUE1	142.00
43		UHV Compatible Solder, 1mm Ø, bakeable to 250°C, including Flux	315-SOLDER	45.50
43		UHV Compatible Solder, 1mm Ø, bakeable to 250°C, including Flux	315-SOLDER-1m	85.00
43		Thread Lubricant „Anti-Seize“	330-ANITSEIZE	Por
43		KAPEX Paste, small	315-KAPEX-S	62.00
43		KAPEX Paste, medium	315-KAPEX-M	85.00
43		KAPEX Paste, large	315-KAPEX-L	126.00
46	16CF	Fixed, 316LN	416-CFB016-LN	30.00

46	40CF	Fixed, 316LN	416-CFB040-LN	<b>39.00</b>
46	63CF	Fixed, 316LN	416-CFB063-LN	<b>136.00</b>
46	100CF	Fixed, 316LN	416-CFB100-LN	<b>208.00</b>
46	160CF	Fixed, 316LN	416-CFB160-LN	<b>344.00</b>
46	200CF	Fixed, 316LN	416-CFB200-LN	<b>533.00</b>
46	250CF	Fixed, 316LN	416-CFB250-LN	<b>946.00</b>
46				
46	16CF	for Tube 19mm O.D., 316LN	416-CF016-19-LN	<b>30.00</b>
46	16CF	for Tube 19mm O.D., 316LN	416-CF016-19X-LN	<b>32.50</b>
46	40CF	for Tube 40 mm O.D., 316LN	416-CF040-41-LN	<b>39.00</b>
46	63CF	for Tube 70 mm O.D., 316LN	416-CF063-70-LN	<b>136.00</b>
46	100CF	for Tube 108 mm O.D., 316LN	416-CF100-108-LN	<b>195.00</b>
46	160CF	for Tube 159 mm O.D., 316LN	416-CF160-156-LN	<b>318.00</b>
46	200CF	for Tube 206 mm O.D., 316LN	416-CF200-206-LN	<b>533.00</b>
46	250CF	for Tube 256 mm O.D., 316LN	416-CF250-256-LN	<b>946.00</b>
46				
46	16CF	Rotatable Blank, 316LN	416-CF016R-LN	<b>36.00</b>
46	40CF	Rotatable Blank, 316LN	416-CFB040R-LN	<b>49.00</b>
46	63CF	Rotatable Blank, 316LN	416-CFB063R-LN	<b>179.00</b>
46	100CF	Rotatable Blank, 316LN	416-CFB100R-LN	<b>267.00</b>
46	160CF	Rotatable Blank, 316LN	416-CFB160R-LN	<b>440.00</b>
46	200CF	Rotatable Blank, 316LN	416-CFB200R-LN	<b>754.00</b>
46	250CF	Rotatable Blank, 316LN	416-CFB250R-LN	<b>1,235.00</b>
46				
46	16CF	Rotatable,for Tube 19mm O.D.,	416-CF016R-19-LN	<b>36.00</b>
46	16CF	Rotatable,for Tube 19mm O.D.,	416-CF016R-19X-LN	<b>42.00</b>
46	40CF	Rotatable, for Tube 40 mm O.D.	416-CF040R-40-LN	<b>49.00</b>

46	63CF	Rotatable, for Tube 70 mm O.D.	416-CF063R-70-LN	<b>179.00</b>
46	100CF	Rotatable, for Tube 108mm O.D	416-CF100R-108-LN	<b>267.00</b>
46	160CF	Rotatable, for Tube 159mm O.D	416-CF160R-159-LN	<b>440.00</b>
46	200CF	Rotatable, for Tube 206mm O.D	416-CF200R-206-LN	<b>754.00</b>
46	250CF	Rotatable, for Tube 256mm O.D	416-CF250R-256-LN	<b>1,235.00</b>
62	16CF	Pressure Burst Disc	461-PBD-C16	<b>210.00</b>
62	40CF	Pressure Burst Disc	461-PBD-C40	<b>210.00</b>

POR= PRICE ON REQUEST

PRICES ARE FOR GUIDANCE ONLY

AND MAY BE CHANGED AT ANY TIME WITHOUT NOTICE

PRICES IN US DOLLARS, EX-WORKS NEWHAVEN, UNITED KINGDOM

SHIPPING: REGISTERED AIR MAIL OR UPS

CONTACT DETAILS:

e-mail [uk@allectra.com](mailto:uk@allectra.com)

tel: +44 1273 517957

fax: +44 1273 512503

PAYMENT: 30 DAY ACCOUNT OR VISA/MASTERCARD

